

N. Davis

ENTERED



1600

RAW SEQUENCE LISTING

DATE: 05/17/2002

PATENT APPLICATION: US/09/730,379E

TIME: 14:15:15

Input Set : A:\EP.txt

Output Set: N:\CRF3\05172002\I730379E.raw

3 <110> APPLICANT: Cornell Research Foundation, Inc.
 5 <120> TITLE OF INVENTION: THROMBOSPONDIN-BINDING REGION OF HISTIDINE-RICH GLYCOPROTEIN
 AND METHODS
 6 OF USE
 8 <130> FILE REFERENCE: Docket 955-7P/CON
 10 <140> CURRENT APPLICATION NUMBER: 09/730,379E
 11 <141> CURRENT FILING DATE: 2000-12-05
 13 <150> PRIOR APPLICATION NUMBER: US 60/169,205
 14 <151> PRIOR FILING DATE: 1999-12-06
 16 <160> NUMBER OF SEQ ID NOS: 13
 18 <170> SOFTWARE: PatentIn version 3.1
 20 <210> SEQ ID NO: 1
 21 <211> LENGTH: 75
 22 <212> TYPE: PRT
 23 <213> ORGANISM: Homo sapiens
 25 <300> PUBLICATION INFORMATION:
 26 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.
 27 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from the
 28 nucleotide sequence of its cDNA
 29 <303> JOURNAL: Biochemistry
 30 <304> VOLUME: 25
 31 <305> ISSUE: 8
 32 <306> PAGES: 2220-2225
 33 <307> DATE: 1986-04-22
 34 <308> DATABASE ACCESSION NO: GenBank/P04196
 35 <309> DATABASE ENTRY DATE: 1987-03-20
 37 <400> SEQUENCE: 1
 39 Gly Pro Arg Pro Phe His Cys Arg Gln Ile Gly Ser Val Tyr Arg Leu
 40 1 5 10 15
 43 Pro Pro Leu Arg Lys Gly Glu Val Leu Pro Leu Pro Glu Ala Asn Phe
 44 20 25 30
 47 Pro Ser Phe Pro Leu Pro His His Lys His Pro Leu Lys Pro Asp Asn
 48 35 40 45
 51 Gln Pro Phe Pro Gln Ser Val Ser Glu Ser Cys Pro Gly Lys Phe Lys
 52 50 55 60
 55 Ser Gly Phe Pro Gln Val Ser Met Phe Phe Thr
 56 65 70 75
 59 <210> SEQ ID NO: 2
 60 <211> LENGTH: 58
 61 <212> TYPE: PRT
 62 <213> ORGANISM: Homo sapiens
 64 <300> PUBLICATION INFORMATION:
 65 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.
 66 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from the

RAW SEQUENCE LISTING

DATE: 05/17/2002

PATENT APPLICATION: US/09/730,379E

TIME: 14:15:15

Input Set : A:\EP.txt

Output Set: N:\CRF3\05172002\I730379E.raw

67 nucleotide sequence of its cDNA

68 <303> JOURNAL: Biochemistry

69 <304> VOLUME: 25

70 <305> ISSUE: 8

71 <306> PAGES: 2220-2225

72 <307> DATE: 1986-04-22

73 <308> DATABASE ACCESSION NO: GenBank/P04196

74 <309> DATABASE ENTRY DATE: 1987-03-20

76 <400> SEQUENCE: 2

78 Ala Ser Phe Arg Val Asp Arg Ile Glu Arg Val Ala Arg Val Arg Gly

79 1 5 10 15

82 Gly Glu Gly Thr Tyr Phe Val Asp Phe Ser Val Arg Asn Cys Pro Arg

83 20 25 30

86 His His Phe Pro Arg His Pro Asn Val Phe Gly Phe Cys Arg Ala Asp

87 35 40 45

90 Leu Phe Tyr Asp Val Glu Ala Leu Asp Leu

91 50 55

94 <210> SEQ ID NO: 3

95 <211> LENGTH: 9

96 <212> TYPE: PRT

97 <213> ORGANISM: Homo sapiens

99 <300> PUBLICATION INFORMATION:

100 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.

101 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from
the

102 nucleotide sequence of its cDNA

103 <303> JOURNAL: Biochemistry

104 <304> VOLUME: 25

105 <305> ISSUE: 8

106 <306> PAGES: 2220-2225

107 <307> DATE: 1986-04-22

108 <308> DATABASE ACCESSION NO: GenBank/P04196

109 <309> DATABASE ENTRY DATE: 1987-03-20

111 <400> SEQUENCE: 3

113 Gly Pro Arg Pro Phe His Cys Arg Gln

114 1 5

117 <210> SEQ ID NO: 4

118 <211> LENGTH: 29

119 <212> TYPE: PRT

120 <213> ORGANISM: Homo sapiens

122 <300> PUBLICATION INFORMATION:

123 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.

124 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from
the

125 nucleotide sequence of its cDNA

126 <303> JOURNAL: Biochemistry

127 <304> VOLUME: 25

128 <305> ISSUE: 8

129 <306> PAGES: 2220-2225

130 <307> DATE: 1986-04-22

131 <308> DATABASE ACCESSION NO: GenBank/04196

RAW SEQUENCE LISTING

DATE: 05/17/2002

PATENT APPLICATION: US/09/730,379E

TIME: 14:15:15

Input Set : A:\EP.txt

Output Set: N:\CRF3\05172002\I730379E.raw

132 <309> DATABASE ENTRY DATE: 1987-03-20

134 <400> SEQUENCE: 4

136 Ile Gly Ser Val Tyr Arg Leu Pro Pro Leu Arg Lys Gly Glu Val Leu

137 1 5 10 15

140 Pro Leu Pro Glu Ala Asn Phe Pro Ser Phe Pro Leu Pro

141 20 25

144 <210> SEQ ID NO: 5

145 <211> LENGTH: 29

146 <212> TYPE: PRT

147 <213> ORGANISM: Homo sapiens

149 <300> PUBLICATION INFORMATION:

150 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.

151 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from

the

152 nucleotide sequence of its cDNA

153 <303> JOURNAL: Biochemistry

154 <304> VOLUME: 25

155 <305> ISSUE: 8

156 <306> PAGES: 2220-2225

157 <307> DATE: 1986-04-22

158 <308> DATABASE ACCESSION NO: GenBank/P04196

159 <309> DATABASE ENTRY DATE: 1987-03-20

161 <400> SEQUENCE: 5

163 Asp Asn Gln Pro Phe Pro Gln Ser Val Ser Glu Ser Cys Pro Gly Lys

164 1 5 10 15

167 Phe Lys Ser Gly Phe Pro Gln Val Ser Met Phe Phe Thr

168 20 25

171 <210> SEQ ID NO: 6

172 <211> LENGTH: 7

173 <212> TYPE: PRT

174 <213> ORGANISM: Homo sapiens

176 <300> PUBLICATION INFORMATION:

177 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.

178 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from

the

179 nucleotide sequence of its cDNA

180 <303> JOURNAL: Biochemistry

181 <304> VOLUME: 25

182 <305> ISSUE: 8

183 <306> PAGES: 2220-2225

184 <307> DATE: 1986-04-22

185 <308> DATABASE ACCESSION NO: GenBank/P04196

186 <309> DATABASE ENTRY DATE: 1987-03-20

188 <400> SEQUENCE: 6

190 Ala Ser Phe Arg Val Asp Arg

191 1 5

194 <210> SEQ ID NO: 7

195 <211> LENGTH: 21

196 <212> TYPE: PRT

197 <213> ORGANISM: Homo sapiens

199 <300> PUBLICATION INFORMATION:

RAW SEQUENCE LISTING

DATE: 05/17/2002

PATENT APPLICATION: US/09/730,379E

TIME: 14:15:15

Input Set : A:\EP.txt

Output Set: N:\CRF3\05172002\I730379E.raw

200 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.
the 201 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from
202 nucleotide sequence of its cDNA
203 <303> JOURNAL: Biochemistry
204 <304> VOLUME: 25
205 <305> ISSUE: 8
206 <306> PAGES: 2220-2225
207 <307> DATE: 1986-04-22
208 <308> DATABASE ACCESSION NO: GenBank/P04196
209 <309> DATABASE ENTRY DATE: 1987-03-20
211 <400> SEQUENCE: 7
213 Ile Glu Arg Val Ala Arg Val Arg Gly Gly Glu Gly Thr Tyr Phe Val
214 1 5 10 15
217 Asp Phe Ser Val Arg
218 20
221 <210> SEQ ID NO: 8
222 <211> LENGTH: 30
223 <212> TYPE: PRT
224 <213> ORGANISM: Homo sapiens
226 <300> PUBLICATION INFORMATION:
227 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.
the 228 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from
229 nucleotide sequence of its cDNA
230 <303> JOURNAL: Biochemistry
231 <304> VOLUME: 25
232 <305> ISSUE: 8
233 <306> PAGES: 2220-2225
234 <307> DATE: 1986-04-22
235 <308> DATABASE ACCESSION NO: GenBank/P04196
236 <309> DATABASE ENTRY DATE: 1987-03-20
238 <400> SEQUENCE: 8
240 Asn Cys Pro Arg His His Phe Pro Arg His Pro Asn Val Phe Gly Phe
241 1 5 10 15
244 Cys Arg Ala Asp Leu Phe Tyr Asp Val Glu Ala Leu Asp Leu
245 20 25 30
248 <210> SEQ ID NO: 9
249 <211> LENGTH: 38
250 <212> TYPE: PRT
251 <213> ORGANISM: Homo sapiens
253 <300> PUBLICATION INFORMATION:
254 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.
the 255 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from
256 nucleotide sequence of its cDNA
257 <303> JOURNAL: Biochemistry
258 <304> VOLUME: 25
259 <305> ISSUE: 8
260 <306> PAGES: 2220-2225
261 <307> DATE: 1986-04-22
262 <308> DATABASE ACCESSION NO: GenBank/P04196

RAW SEQUENCE LISTING

DATE: 05/17/2002

PATENT APPLICATION: US/09/730,379E

TIME: 14:15:15

Input Set : A:\EP.txt

Output Set: N:\CRF3\05172002\I730379E.raw

263 <309> DATABASE ENTRY DATE: 1987-03-20

265 <400> SEQUENCE: 9

267 Gly Pro Arg Pro Phe His Cys Arg Gln Ile Gly Ser Val Tyr Arg Leu

268 1 5 10 15

271 Pro Pro Leu Arg Lys Gly Glu Val Leu Pro Leu Pro Glu Ala Asn Phe

272 20 25 30

275 Pro Ser Phe Pro Leu Pro

276 35

279 <210> SEQ ID NO: 10

280 <211> LENGTH: 28

281 <212> TYPE: PRT

282 <213> ORGANISM: Homo sapiens

284 <300> PUBLICATION INFORMATION:

285 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.

286 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from

the

287 nucleotide sequence of its cDNA

288 <303> JOURNAL: Biochemistry

289 <304> VOLUME: 25

290 <305> ISSUE: 8

291 <306> PAGES: 2220-2225

292 <307> DATE: 1986-04-22

293 <308> DATABASE ACCESSION NO: GenBank/P04196

294 <309> DATABASE ENTRY DATE: 1987-03-20

296 <400> SEQUENCE: 10

298 Ala Ser Phe Arg Val Asp Arg Ile Glu Arg Val Ala Arg Val Arg Gly

299 1 5 10 15

302 Gly Glu Gly Thr Tyr Phe Val Asp Phe Ser Val Arg

303 20 25

306 <210> SEQ ID NO: 11

307 <211> LENGTH: 51

308 <212> TYPE: PRT

309 <213> ORGANISM: Homo sapiens

311 <300> PUBLICATION INFORMATION:

312 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.

313 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from

the

314 nucleotide sequence of its cDNA

315 <303> JOURNAL: Biochemistry

316 <304> VOLUME: 25

317 <305> ISSUE: 8

318 <306> PAGES: 2220-2225

319 <307> DATE: 1986-04-22

320 <308> DATABASE ACCESSION NO: GenBank/P04196

321 <309> DATABASE ENTRY DATE: 1987-03-20

323 <400> SEQUENCE: 11

325 Ile Glu Arg Val Ala Arg Val Arg Gly Gly Glu Gly Thr Tyr Phe Val

326 1 5 10 15

329 Asp Phe Ser Val Arg Asn Cys Pro Arg His His Phe Pro Arg His Pro

330 20 25 30

333 Asn Val Phe Gly Phe Cys Arg Ala Asp Leu Phe Tyr Asp Val Glu Ala

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 05/17/2002
PATENT APPLICATION: US/09/730,379E TIME: 14:15:16

Input Set : A:\EP.txt
Output Set: N:\CRF3\05172002\I730379E.raw

Invalid Line Length:

The rules require that a line not exceed 72 characters in length. This includes spaces.

Seq#:1; Line(s) 5,27
Seq#:2; Line(s) 66
Seq#:3; Line(s) 101
Seq#:4; Line(s) 124
Seq#:5; Line(s) 151
Seq#:6; Line(s) 178
Seq#:7; Line(s) 201
Seq#:8; Line(s) 228
Seq#:9; Line(s) 255
Seq#:10; Line(s) 286
Seq#:11; Line(s) 313
Seq#:12; Line(s) 348
Seq#:13; Line(s) 383

VERIFICATION SUMMARY

DATE: 05/17/2002

PATENT APPLICATION: US/09/730,379E

TIME: 14:15:16

Input Set : A:\EP.txt

Output Set: N:\CRF3\05172002\I730379E.raw